

LEDIUM

LED Light Panel



LEDIUM LED

Recessed Light Panel for Single Piece Plasterboard/Gypsum False Ceilings

LEDIUM Recessed LED light panel is manufactured by Megalite for recessed mounting suitable for modern office and commercial lighting applications. Uniform light distribution, energy saving, glare free, and sleek design are among the highlights of this LED light panel.

LEDIUM is manufactured under Megalite precise quality control according to European norm: IEC 60598.

Application

Suitable for modern offices and commercial buildings where uniform light distribution, energy saving, glare control, and aesthetically beautiful design are required such as banks, modern offices, universities, schools,...

Technical Data

Body:

- Body made of cold rolled steel sheet with polycarbonate rim

Diffuser:


- Special Polystyrene diffuser with high light transmission for optimum efficiency and high light source hiding for glare control

Electrical Components:




- High power factor electronic constant current driver > 0.9
- Standard LED module with high efficacy and 50,000 life expectancy
- Standard LED module with higher than 80% color rendering index
- Single core solid conductor made of copper with PVC insulation
- 3 pole special polyamide wire terminals with looping capability

Accessories

- Suspension kit
- Recessed mounting clamps gypsum false ceiling




Cat. No.	Power Consumption (W)	Luminance Flux (lm)	Efficiency (lm/W)	Color Temperature (K)	W (kg)
M528DLED2840	34	4350	128	4000	4.5
M528DLED2865	34	4350	128	6500	4.5




LEDIUM LED


Recessed Light Panel




Cat. No.	Power Consumption (W)	Luminance Flux (lm)	Efficiency (lm/W)	Color Temperature (K)	W (kg)
M528LED2840	34	4350	128	4000	4.5
M528LED2865	34	4350	128	6500	4.5






M528LED...+DMRC-15



M528LED...



M528LED...+SKWFD-2




Accessories



SKWFD-2

Suspension brackets (2 m) in white color with possibility of suspending the luminaire on gypsum ceilings



DMRC-15

Recessed mounting bracket for mounting the luminaire in exposed gypsum false ceilings

Mounting Symbols

	Exposed T-grid false ceiling
	Gypsum false ceiling
	Suspension



Megalite, FZCO
P.O. Box 61440
Jebel Ali Free Zone Dubai, UAE
Tel: +971 4 881 7900
Fax: +971 4 881 8850
Email: info@megalite.com
Web Site: www.megalite.com